| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|---|----------|---------------------|---------|------------------|
| L6 | 0 | cellular AND transformer AND insert AND (magnetic ADJ flux) AND winding AND (through NEAR hole) | US-PGPUB | OR | OFF | 2005/10/29 10:57 |

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|------------|---------|---|--|---------------------|---------|------------------|
| L1 | 221826 | (winding wire coil) WITH (insulat\$3 spacer) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/10/29 07:52 |
| L2 | 3755971 | (through\$1hole) (through NEAR1 hole) aperture opening cut\$1out | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/10/29 07:52 |
| L3 | 12010 | (magnetic NEAR1 flux) WITH induc\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/10/29 07:52 |
| L4 | 1281 | L1 AND L2 AND L3 | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/10/29 07:53 |
| L5 | 1575 | (336/182,183,185).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | OFF | 2005/10/29 09:51 |
| S1 | 68496 | (hollow\$3 NEAR core) (cylinder NEAR core) (tub\$3 NEAR (metal magnetic)) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/10/28 12:58 |
| S2 | 583372 | S1 WITH (through\$1hole) (through NEAR1 hole) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/10/28 15:17 |
| S3 | 221826 | (winding wire coil) WITH (insulat\$3 spacer) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/10/28 12:59 |
| S4 | 1178 | S1 SAME S2 | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/10/28 13:00 |
| S 5 | 79 | S3 AND S4 | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/10/28 13:06 |
| S7 | 1391 | (336/205,207,175).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | OFF | 2005/10/29 09:51 |

| S14 | 2 | ("4295107").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | OFF | 2005/10/28 15:09 |
|-----|---------|--|--|----|-----|------------------|
| S15 | 3755971 | (through\$1hole) (through NEAR1 hole) aperture opening cut\$1out | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/10/29 07:52 |
| S16 | 4280 | S1 WITH S15 | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/10/28 15:19 |
| S17 | 267 | S3 AND S16 | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/10/28 15:38 |
| S18 | 12010 | (magnetic NEAR1 flux) WITH induc\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/10/28 15:58 |
| S19 | 8 | S16 AND S18 | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/10/28 15:39 |
| S20 | 4033 | S15 AND S18 | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/10/28 15:58 |